

Day: Thursday

Date: 1/4/2007 Time: 12:02:56

Inventor Name Search Result

Your Search was:

Last Name = YAMASHITA First Name = TAKAYUKI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name | |
|-----------------|---------|--------|------------|---|------------------------|--|
| <u>07365115</u> | 4929430 | 150 | 06/12/1989 | PROCESS FOR PREPARATION OF URANIUM TETRAFLUORIDE | YAMASHITA, TAKAYUKI | |
| 08543911 | 5587772 | 150 | 10/17/1995 | IMAGE FORMING APPARATUS HAVING IMAGE SIGNAL DISCRIMINATION DEVICE | YAMASHITA, TAKAYUKI | |
| 08544703 | 5764378 | 250 | 10/18/1995 | IMAGE FORMING APPARATUS | YAMASHITA, TAKAYUKI | |
| 08765148 | 5825795 | 150 | 12/23/1996 | GAS LASER OSCILLATOR APPARATUS | YAMASHITA, TAKAYUKI | |
| 08765270 | 5850412 | 150 | 12/20/1996 | LASER GENERATOR | YAMASHITA, TAKAYUKI | |
| 08853491 | 5835830 | 150 | 05/08/1997 | IMAGE FORMING APPARATUS | YAMASHITA, TAKAYUKI | |
| 08885101 | 6078604 | 150 | t i | LASER OSCILLATION APPARATUS | YAMASHITA, TAKAYUKI | |
| 09005152 | 5890044 | 150 | 01/09/1998 | IMAGE FORMING APPARATUS FOR SIMULTANEOUS TRANSFER AND FIXING OF IMAGES | YAMASHITA, TAKAYUKI | |
| 09066535 | 5933694 | 150 | | IMAGE FORMING METHOD AND IMAGE FORMING APPARATUS | YAMASHITA, TAKAYUKI | |
| 09120886 | 6249535 | 150 | 07/23/1998 | GAS LASER OSCILLATOR | YAMASHITA, TAKAYUKI | |
| 09121554 | 6042985 | 150 | | IMAGE FORMING METHOD AND RECORDING MEDIUM USED THEREFOR | YAMASHITA, TAKAYUKI | |
| | 6337869 | 150 | 07/28/1998 | GAS LASER OSCILLATOR | YAMASHITA, TAKAYUKI | |
| 09182538 | 6266352 | 150 | | LASER OSCILLATION APPARATUS | YAMASHITA, TAKAYUKI | |
| | | ٦. | | | | |

| 09182539 | 6021151 | 150 | 10/29/1998 | LASER OSCILLATION APPARATUS | YAMASHITA, TAKAYUKI |
|-----------------|---------------|-----|------------|--|------------------------|
| 09238031 | 6057074 | 150 | | METHOD OF FORMING AN IMAGE AND A RECORDING MEDIUM USED THEREFOR | YAMASHITA, TAKAYUKI |
| 09388357 | 6226487 | 150 | 09/01/1999 | IMAGE FORMING APPARATUS, TRANSFER AND FIXING DEVICE AND IMAGE FORMING METHOD | YAMASHITA, TAKAYUKI |
| 09691251 | 6327295 | 150 | 10/19/2000 | Gas laser oscillator | YAMASHITA, TAKAYUKI |
| 09843747 | 6331995 | 150 | 04/30/2001 | Gas laser oscillator | YAMASHITA, TAKAYUKI |
| 09843950 | 6434181 | 150 | 04/30/2001 | GAS LASER OSCILLATOR | YAMASHITA, TAKAYUKI |
| <u>09951606</u> | 6577836 | 150 | 09/14/2001 | IMAGE-FORMING APPARATUS AND FIXING UNIT WITH HEAT CIRCULATOR FOR HIGH HEAT EXCHANGE EFFICIENCY | YAMASHITA, TAKAYUKI |
| 10373797 | Not Issued | 161 | 02/27/2003 | Image forming apparatus | YAMASHITA, TAKAYUKI |
| 10405084 | Not Issued | 61 | 04/02/2003 | Process and apparatus for taking slow motion picture, and process and apparatus for taking and playing slow motion picture | YAMASHITA, TAKAYUKI |
| 10644802 | Not Issued | 30 | 08/21/2003 | Contour compensation circuit, and a method and program for contour compensation, and an image signal display device | YAMASHITA, TAKAYUKI |
| 10648273 | 7105257 | 150 | 08/27/2003 | ELECTROPHOTOGRAPHIC PHOTORECEPTOR, PROCESS CARTRIDGE AND IMAGE FORMING APPARATUS | YAMASHITA, TAKAYUKI |
| 10669719 | 7094511 | 150 | | ELECTROPHOTOGRAPHIC PHOTORECEPTOR, METHOD FOR PRODUCING THE SAME, IMAGE FORMING APPARATUS AND PROCESS CARTRIDGE | YAMASHITA, TAKAYUKI |
| 10683273 | 6876371 | 150 | 10/14/2003 | IMAGE FORMING APPARATUS | YAMASHITA, TAKAYUKI |
| 10976819 | 7074540 | 150 | 11/01/2004 | | YAMASHITA, TAKAYUKI |
| 11403004 | Not Issued | 30 | 04/13/2006 | Image forming apparatus | YAMASHITA, TAKAYUKI |

Inventor Search Completed: No Records to Display.



PALM INTRANET

Day: Thursday

Date: 1/4/2007 Time: 12:03:06

Inventor Name Search Result

Your Search was:

Last Name = SUGAWARA First Name = MASAYUKI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|---------------|--------|------------|--|-----------------------|
| 07353274 | 4974090 | 150 | 05/17/1989 | IMAGE PICKUP DEVICE INCORPORATED WITH IMAGE INTENSIFIER TUBE | SUGAWARA, MASAYUKI |
| 07353275 | 4980772 | 250 | 05/17/1989 | IMAGE PICKUP DEVICE INCORPORATED WITH IMAGE INTENSIFIER TUBE | SUGAWARA, MASAYUKI |
| 08093647 | 5406330 | 250 | 07/20/1993 | VIDEO CAMERA HAVING IMAGE SENSORS DRIVEN BY DIFFERENT VERTICAL DRIVE SIGNALS | SUGAWARA, MASAYUKI |
| 08178904 | 5491318 | 150 | 01/07/1994 | LASER CUTTING MACHINE | SUGAWARA, MASAYUKI |
| 08245192 | 5471323 | 150 | 05/17/1994 | SOLID STATE VIDEO CAMERA HAVING IMPROVED CHROMATIC ABERRATION SUPPRESSION AND MOIRE SUPPRESSION | SUGAWARA, MASAYUKI |
| 08453368 | 5548098 | 150 | 05/30/1995 | LASER CUTTING MACHINE | SUGAWARA, MASAYUKI |
| 10363364 | Not Issued | 161 | 02/28/2003 | Liquid crystal color display | SUGAWARA, MASAYUKI |
| 10405084 | Not Issued | 61 | 04/02/2003 | Process and apparatus for taking slow motion picture, and process and apparatus for taking and playing slow motion picture | SUGAWARA, MASAYUKI |
| 10479492 | 6822801 | | | DEVICE FOR DETERMINING FOCUSED STATE OF TAKING LENS | SUGAWARA, MASAYUKI |
| 10479757 | 6833538 | 150 | | DEVICE FOR DETERMINING FOCUSED STATE OF TAKING LENS | SUGAWARA, MASAYUKI |
| 10513968 | Not Issued | 30 | | Color filter for transflective type liquid crystal display | SUGAWARA, MASAYUKI |

| 10644802 | Not Issued | 30 | | Contour compensation circuit, and a method and program for contour compensation, and an image signal display device | SUGAWARA, MASAYUKI |
|----------|---------------|-----|------------|--|-----------------------|
| 10779052 | 7128995 | 150 | | OXIDE ION CONDUCTOR AND METHOD OF PRODUCING THE SAME | SUGAWARA, MASAYUKI |
| 10988298 | Not Issued | 30 | | Electrolyte-electrode assembly and method for producing the same | SUGAWARA, MASAYUKI |
| 11522869 | Not Issued | 30 | 09/18/2006 | Oxide ion conductor | SUGAWARA, MASAYUKI |

Inventor Search Completed: No Records to Display.

| Search Another: Inventor | Last Name | First Name | |
|--------------------------|-----------|------------|--------|
| Search Another. Inventor | SUGAWARA | MASAYUKI | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Day: Thursday

Date: 1/4/2007 Time: 12:03:14

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = OKANO

First Name = FUMIO

| | <u></u> | Ι. | | | |
|-------------------|----------------|--------|------------|--|---------------|
| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
| 07066482 | 4864400 | 150 | 05/28/1987 | TELEVISION SYNCHRONIZATION SYSTEM | OKANO, FUMIO |
| 09226211 | 6137937 | 150 | 01/07/1999 | AUTOSTEREOSCOPIC IMAGE APPARATUS | OKANO, FUMIO |
| <u>09414542</u> | <u>6301416</u> | 150 | 10/08/1999 | OPTICAL THREE- DIMENSIONAL IMAGING DEVICE WHICH USES AN INTEGRAL PHOTOGRAPHY TECHNIQUE | OKANO, FUMIO |
| <u>10405084</u> · | Not Issued | 61 | | Process and apparatus for taking slow motion picture, and process and apparatus for taking and playing slow motion picture | OKANO, FUMIO |
| 10429955 | 6903785 | 150 | 05/06/2003 | LIQUID CRYSTAL PROJECTOR DEVICE | OKANO, FUMIO |
| 10429956 | <u>6874890</u> | 150 | 05/06/2003 | PROJECTION DEVICE HAVING FIRST AND SECOND GREEN- LIGHT MODULATION MEANS | OKANO, FUMIO |
| 10644802 | Not Issued | 30 | | Contour compensation circuit, and a method and program for contour compensation, and an image signal display device | OKANO, FUMIO |
| 10679294 | 7042537 | 150 | 10/07/2003 | IMAGE DISPLAY PANEL | OKANO, FUMIO |
| 10759251 | 6899429 | 150 | | OPTICAL PROCESS UNIT, IMAGE GENERATION SYSTEM USING THE SAME AND OPTICAL PROCESS METHOD OF THE SAME | OKANO, FUMIO |
| 10849504 | 7054067 | 150 | 05/20/2004 | THREE-DIMENSIONAL IMAGE OPTICAL SYSTEM | OKANO, FUMIO |
| 11255193 | Not Issued | 30 | 10/21/2005 | Imaging device and display device | OKANO, FUMIO |

| | | LASI Searci | | | γ | · · · · · · · · · · · · · · · · · · · |
|----------|------|--|--|---------------------|---------------|---------------------------------------|
| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
| L1 | 4846 | (contour\$3 or edge\$1 border\$3) near2 compensat\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 12:18 |
| L2 | 93 | 1 same gamma | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:04 |
| L3 | . 71 | 2 same signal | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 12:47 |
| L4 | 291 | contour adj compensation | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:14 |
| L5 | 2 | 4 and retarder | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:09 |
| L6 | 363 | reverse adj gamma | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:10 |
| L7 | 50 | 6 and channel | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:10 |

| L8 | 17 | 7 and delay | US-PGPUB; | OR | ON | 2007/01/04 13:10 |
|-----|----|--------------------------------------|--|------|----|------------------|
| | 1, | , and delay | USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OK . | ON | 2007/01/07 13.10 |
| L9 | 93 | contour adj compensation adj circuit | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:14 |
| L10 | 0 | 9 and image adj singnal | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:14 |
| L11 | 14 | 9 and image adj signal | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:23 |

| L8 | 17 | 7 and delay | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2007/01/04 13:10 |
|-----|------|---|--|------|----|------------------|
| L9 | 93 | contour adj compensation adj circuit | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:14 |
| L10 | | 9 and image adj singnal | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:14 |
| L11 | 14 | 9 and image adj signal | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR · | ON | 2007/01/04 13:23 |
| L12 | 5702 | (382/167,263,266,270,274,275,312). ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:34 |
| L13 | 1448 | (348/226.1,241,605,625).ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:35 |
| L14 | 7006 | 12 or 13 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:35 |

| L15 | 17 | 14 and 4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; | OR | ON | 2007/01/04 13:35 |
|-----|----|----------|---|----|----|------------------|
| | | | DERWENT; IBM_TDB | | | |

| Ref # | Hits | Search Query | DBs | Default Operator | Piurals | Time Stamp |
|----------|-----------|--|--|---------------------|---------|------------------|
| L1 | 4846 | (contour\$3 or edge\$1 border\$3) near2 compensat\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 12:18 |
| L2 | 93 | 1 same gamma | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:04 |
| L3 | 71 | 2 same signal | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 12:47 |
| L4 | 291 | contour adj compensation | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:14 |
| L5 | 2 | 4 and retarder | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:09 |
| L6 | 363 | reverse adj gamma | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:10 |
| L7 | | 6 and channel | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/04 13:10 |





Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

BROWSE SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Thu, 4 Jan 2007, 1:50:52 PM EST

Search Query Display



#1 ((contour compensation circuit)<in>metadata)

#2 (contour compensation <IN>metadata)

#3 ((contour comensation signal)<in>metadata)

indexed by inspect

Help Contact Us Privacy &:

© Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

| Results for "(contour | compensation <in>metadata)"</in> |
|-----------------------|----------------------------------|
| Your search matched | 3 of 1450046 documents. |

⊠ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** (contour compensation <in>metadata) New Search Search ☐ Check to search only within this results set » Key Display Format: Citation C Citation & Abstract IEEE Journal or **IEEE JNL** Magazine view selected items Select All Deselect All IEE JNL IEE Journal or Magazine IEEE Conference IEEE CNF Proceeding 1. Motion adaptive pro-scan converter with two dimensional contour enhan-Markhauser, C.P.; IEE Conference **IEE CNF** Proceeding Consumer Electronics, IEEE Transactions on Volume 36, Issue 2, May 1990 Page(s):110 - 114 IEEE STD. IEEE Standard Digital Object Identifier 10.1109/30.54276 AbstractPlus | Full Text: PDF(224 KB) IEEE JNL Rights and Permissions 2. EDTV with scan-line video processor П Yugami, M.; Ohara, K.; Takeda, A.; Consumer Electronics, IEEE Transactions on Volume 38, Issue 3, Aug 1992 Page(s):553 - 562 Digital Object Identifier 10.1109/30.156736 AbstractPlus | Full Text: PDF(516 KB) IEEE JNL Rights and Permissions 3. Equal loudness contour circuit using an operational amplifier

Grimes, J.; Doran, S.;

Rights and Permissions

Audio and Electroacoustics, IEEE Transactions on Volume 18, Issue 3, Sep 1970 Page(s):313 - 315

AbstractPlus | Full Text: PDF(280 KB) IEEE JNL

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

面 Inspec*